

SPECIFICATION SHEET

SEPIOLITE 15/30 INDUSTRIAL ABSORBENT

Composition (XRD)

Sepiolite 75 % Min. 65 %

Density (BS 1460) 0.64 g/cc Max. 0.71 g/cc

pH (NF T 30-035) 8.5 ± 1.0

Westinghouse Absorption

Water 130 % Min. 100%

Oil 60 % Min. 50 %

Particle Size Distribution

> 1.18 mm Max. 1%

1.18 - 0.25 mm Min. 97.5 %

< 0.25 mm Max. 1.5 %